

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/23/2014

Reviewed on 07/31/2006

1 Identification**Product identifier****Product name:** Barium bromate**Stock number:** A11008**CAS Number:**

13967-90-3

EC number:

237-750-5

Relevant identified uses of the substance or mixture and uses advised against.**Identified use:** SU24 Scientific research and development**Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Alfa Aesar, A Johnson Matthey Company

Johnson Matthey Catalog Company, Inc.

30 Bond Street

Ward Hill, MA 01835-8099

Tel: 800-343-0660

Fax: 800-322-4757

Email: tech@alfa.com

www.alfa.com

Information Department: Health, Safety and Environmental Department**Emergency telephone number:**

During normal hours the Health, Safety and Environmental Department at (800) 343-0660. After normal hours call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification**Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

GHS03 Flame over circle

Ox. Sol. 2 H272 May intensify fire; oxidizer.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H332 Harmful if inhaled.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Xn; Harmful

R20/22: Harmful by inhalation and if swallowed.



O; Oxidizing

R8: Contact with combustible material may cause fire.

Information concerning particular hazards for human and environment: Not applicable**Hazards not otherwise classified** No information known.**Label elements****Labelling according to Regulation (EC) No 1272/2008**

The substance is classified and labeled according to the CLP regulation.

Hazard pictograms

GHS03



GHS07

Signal word Danger**Hazard statements**

H272 May intensify fire; oxidizer.

H302+H332 Harmful if swallowed or if inhaled.

Precautionary statements

P221 Take any precaution to avoid mixing with combustibles.

P262 Do not get in eyes, on skin, or on clothing.

WHMIS classification

C - Oxidizing materials

(Contd. on page 2)

USA

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/23/2014

Reviewed on 07/31/2006

Product name: Barium bromate

(Contd. of page 1)

D1B - Toxic material causing immediate and serious toxic effects

**Classification system****HMIS ratings (scale 0-4)****(Hazardous Materials Identification System)**

HEALTH	2
FIRE	0
REACTIVITY	3

Health (acute effects) = 2

Flammability = 0

Physical Hazard = 3

Other hazards**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**3 Composition/information on ingredients****Chemical characterization: Substances****CAS# Description:**

13967-90-3 Barium bromate

Identification number(s):**EC number:** 237-750-5**4 First-aid measures****Description of first aid measures****After inhalation**

Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.**Information for doctor****Most important symptoms and effects, both acute and delayed**

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures**Extinguishing media****Suitable extinguishing agents**

Product is not flammable. Use fire fighting measures that suit the surrounding fire.

Special hazards arising from the substance or mixture

This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.

If this product is involved in a fire, the following can be released:

Hydrogen bromide (HBr)

Barium oxide

Advice for firefighters**Protective equipment:**

Wear self-contained respirator.

Wear fully protective impervious suit.

6 Accidental release measures**Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Environmental precautions:

Do not allow material to be released to the environment without proper governmental permits.

Do not allow product to reach sewage system or any water course.

Do not allow to penetrate the ground/soil.

(Contd. on page 3)

USA

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/23/2014

Reviewed on 07/31/2006

Product name: Barium bromate

(Contd. of page 2)

Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Prevention of secondary hazards:

Acts as an oxidizing agent on organic materials such as wood, paper and fats

Keep away from combustible material.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage**Handling****Precautions for safe handling**

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires:

The product is not flammable

Substance/product can reduce the ignition temperature of flammable substances.

This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.

Conditions for safe storage, including any incompatibilities**Storage****Requirements to be met by storerooms and receptacles:** No special requirements.**Information about storage in one common storage facility:**

Store away from flammable substances.

Store away from reducing agents.

Do not store with organic materials.

Store away from metal powders.

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

Specific end use(s) No further relevant information available.**8 Exposure controls/personal protection****Additional information about design of technical systems:**

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters**Components with limit values that require monitoring at the workplace:**

Barium, and soluble compounds, as Ba

mg/m3

ACGIH TLV 0.5; Not classified as a human carcinogen

Austria MAK 0.5

Belgium TWA 0.5

Denmark TWA 0.5

Finland TWA 0.5

Germany MAK 0.5 (total dust)

Hungary 0.5-STEL

Ireland TWA 0.5

Korea TLV 0.5

Netherlands MAC-TGG 0.5

Norway TWA 0.5

Poland TWA 0.5; 1.5-STEL

Sweden TWA 0.5

Switzerland MAK-W 0.5

United Kingdom LTEL 0.5

USA PEL 0.5

Additional information: No data**Exposure controls****Personal protective equipment****General protective and hygienic measures**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Maintain an ergonomically appropriate working environment.

(Contd. on page 4)

USA

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/23/2014

Reviewed on 07/31/2006

Product name: Barium bromate

(Contd. of page 3)

Breathing equipment: Use suitable respirator when high concentrations are present.**Protection of hands:**

Impervious gloves

Check protective gloves prior to each use for their proper condition.

The selection of suitable gloves not only depends on the material, but also on quality.

Quality will vary from manufacturer to manufacturer.

Eye protection: Safety glasses**Body protection:** Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance:

Form:	Powder
Color:	White
Odor:	Odorless
Odor threshold:	Not determined.

pH-value:	Not applicable.
-----------	-----------------

Change in condition

Melting point/Melting range:	Not determined
Boiling point/Boiling range:	Not determined
Sublimation temperature / start:	Not determined

Flash point:	Not applicable
Flammability (solid, gaseous)	Contact with combustible material may cause fire.
Ignition temperature:	Not determined
Decomposition temperature:	Not determined
Auto igniting:	Not determined.

Danger of explosion:	Not determined.
Explosion limits:	
Lower:	Not determined
Upper:	Not determined
Vapor pressure:	Not applicable.
Density at 20 °C (68 °F):	3.99 g/cm ³ (33.297 lbs/gal)
Relative density	Not determined.
Vapor density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	Slightly soluble
Partition coefficient (n-octanol/water):	Not determined.
Viscosity:	
dynamic:	Not applicable.
kinematic:	Not applicable.
Other information	No further relevant information available.

10 Stability and reactivity

Reactivity May intensify fire; oxidizer.**Chemical stability** Stable under recommended storage conditions.**Thermal decomposition / conditions to be avoided:**

Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions

Reacts with reducing agents

Reacts with flammable substances

Incompatible materials:

Reducing agents

Flammable substances

Organic materials

Metal powders

Hazardous decomposition products:

Hydrogen bromide

Barium oxide

USA

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/23/2014

Reviewed on 07/31/2006

Product name: Barium bromate

(Contd. of page 4)

11 Toxicological information

Information on toxicological effects

Acute toxicity:

Harmful if inhaled.

Harmful if swallowed.

LD/LC50 values that are relevant for classification: No data

Skin irritation or corrosion: May cause irritation

Eye irritation or corrosion: May cause irritation

Sensitization: No sensitizing effects known.

Germ cell mutagenicity: No effects known.

Carcinogenicity:

EPA-NL: Not likely to be carcinogenic to humans.

ACGIH A4: Not classifiable as a human carcinogen: Inadequate data on which to classify the agent in terms of its carcinogenicity in humans and/or animals.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.

Subacute to chronic toxicity:

Inorganic bromides may produce depression, emaciation and in severe cases, psychosis and mental deterioration. Bromoderma, a bromide rash, often occurs when bromide inhalation or administration is prolonged. This rash is usually found on the face and resembles acne and furunculosis.

Barium compounds may cause severe gastroenteritis, including abdominal pain, vomiting and diarrhea, tremors, faintness, paralysis of the arms and legs, and slow or irregular heartbeat. Severe cases may produce collapse and death due to respiratory failure. Soluble barium compounds are more likely to cause these effects than insoluble compounds. Inhalation of fumes may cause sore throat, coughing, labored breathing, and irritation of the respiratory tract as well as the above symptoms.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes:

Do not allow material to be released to the environment without proper governmental permits.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number

DOT, ADR, IMDG, IATA

UN2719

UN proper shipping name

DOT

Barium bromate

ADR

2719 Barium bromate

IMDG, IATA

BARIUM BROMATE

(Contd. on page 6)

USA

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/23/2014

Reviewed on 07/31/2006

Product name: Barium bromate

(Contd. of page 5)

Transport hazard class(es)

DOT



Class

5.1 Oxidising substances.

Label

5.1+6.1

ADR



Class

5.1 (OT2) Oxidizing substances

Label

5.1+6.1

IMDG, IATA



Class

5.1 Oxidising substances.

Label

5.1+6.1

Packing group

DOT, ADR, IMDG, IATA

II

Environmental hazards:

Not applicable.

Special precautions for user

Warning: Oxidizing substances

Danger code (Kemler):

56

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

Transport/Additional information:

DOT

Marine Pollutant (DOT):

No

UN "Model Regulation":

UN2719, Barium bromate, 5.1 (6.1), II

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).

SARA Section 313 (specific toxic chemical listings)

13967-90-3 Barium bromate

California Proposition 65

Prop 65 - Chemicals known to cause cancer Substance is not listed.

Prop 65 - Developmental toxicity Substance is not listed.

Prop 65 - Developmental toxicity, female Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use:

For use only by technically qualified individuals.

This product contains barium and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

Substance is not listed.

REACH - Pre-registered substances Substance is listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

USA

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/23/2014

Reviewed on 07/31/2006

Product name: Barium bromate

(Contd. of page 6)

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Health, Safety and Environmental Department.

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

USA