Last Revision Date: 1/24/2012

#### SECTION 1 - CHEMICAL PRODUCT and COMPANY IDENTIFICATION

Catalog Number: S-11049M1
Description: Aldrin
Product Type: Solution

Other Names: Hexachlorohexahydro-endo-exo-dimethanonaphthalene

Supplied by CHEM SERVICE, Inc. PO BOX 599, WEST CHESTER, PA 19381 (610)-692-3026

EMERGENCY PHONE: 1-610-692-3026

## **SECTION 2 - COMPOSITION, INFORMATION ON INGREDIENTS**

CAS: 309-00-2 Description: Aldrin Solution

Concentration: 100ug/mL in Methanol

EINECS No: 206-215-8 Hazard Symbols: T;N

#### **SECTION 3 - HAZARDS IDENTIFICATION**

Contact lenses should not be worn in the laboratory.

All chemicals should be considered hazardous – Avoid direct physical contact!

For the solvent: Methanol

Health Risks: May be fatal if absorbed through the skin! Repeated exposure to vapors and/or dust can cause eye injury. May be fatal if inhaled! Can cause cardiovascular system injury. Exposure can cause liver damage. Exposure can cause kidney damage. May be fatal or cause blindness if swallowed. Can cause gastro-intestinal disturbances. Can cause convulsions.

CA Proposition 65: Data Not Available

For the minor component: Aldrin

This chemical is considered to be a CARCINOGEN by the state of California.

## **SECTION 4 - FIRST AID MEASURES**

An antidote is a substance intended to counteract the effect of a poison. It should be administered only by a physician or trained emergency personnel. Medical advice can be obtained from a POISON CONTROL CENTER.

For the solvent: Methanol

First Aid: In case of contact: Flush eyes continuously with water for 15-20 minutes. Flush skin with water for 15-20 minutes. If patient has stopped breathing administer artificial respiration. If patient is in cardiac arrest administer CPR. Continue life supporting measures until medical assistance has arrived. Do not wear shoes or clothing until absolutely free of all chemical odors. Get medical attention if necessary. If no burns have occurred-use soap and water to cleanse skin. If inhaled remove patient to fresh air. Administer oxygen if patient is having difficulty breathing. If swallowed do not induce vomiting.

#### **SECTION 5 - FIRE AND EXPLOSION DATA**

For the solvent: Methanol

Flash Point: 11°C This is a flammable chemical.

Extinguishing Media: Carbon dioxide or dry chemical powder. DO NOT USE WATER!

Catalog Number: S-11049M1 Page 1 of 4

## **Chem Service Inc.**

#### **MATERIAL SAFETY DATA SHEET**

Upper Explosion Limit: 36% Lower Explosion Limit: 6.0% Autoignition Temperature: 464°C

NFPA Scale: 0 - Least, 1 - Slight, 2 - Moderate, 3 - High, 4 - Severe

NFPA Hazard Rating: Health: 1. Reactivity: 0. Flammability: 3. Special: No Data.

## **SECTION 6 - ACCIDENTAL RELEASE MEASURES**

Spills or leaks: Evacuate area. Wear appropriate OSHA regulated equipment. Ventilate area. Absorb on vermiculite or similar material. Sweep up and place in an appropriate container. Hold for disposal.

Wash contaminated surfaces to remove any residues. Remove contaminated clothing and wash before reuse.

#### **SECTION 7 - HANDLING AND STORAGE**

Handlina:

This chemical should be handled only in a hood. Eye shields should be worn. Use appropriate OSHA/MSHA approved safety equipment.

Avoid contact with skin, eyes and clothing. Avoid ingestion and inhalation.

Wash thoroughly after handling.

Storage:

Store in a cool dry place. Store only with compatible chemicals. Keep tightly closed.

## **SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION**

For the solvent: Methanol

OSHA PEL (TWA): 200 ppm (260 mg/m3) ACGIH TLV (TWA): 200 ppm (262 mg/m3) ACGIH TLV (STEL): Data Not Available

Personal Protective Equipment

Eyes: Wear Safety Glasses.

Skin: Wear appropriate protective gloves to prevent skin exposure.

Clothing: Wear appropriate protective clothing to minimize contact with skin.

Respirators: A respiratory protection program that meets OSHA's 29 CFR 1910.134 requirements

must be followed whenever workplace conditions warrant the use of a respirator.

#### **SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES**

For the solvent: Methanol

Color: Colorless
Phase: Liquid
Melting Point: -98°C
Boiling Point: 64.6°C
Specific Gravity: 0.791g/mL
Vapor Density: 1.11

Vapor Pressure: 130.3 hPa @ 20°C
Solubility in Water: Completely miscible.
Odor: Data Not Available
Evaporation Rate (Butyl acetate=1): Data Not Available

Evaporation Rate (Butyl acetate=1): Data Not Ava

Molecular Weight: 32.05 Molecular Formula: CH4O

Catalog Number: S-11049M1 Page 2 of 4

# **Chem Service Inc.**

#### **MATERIAL SAFETY DATA SHEET**

#### **SECTION 10 - STABILITY AND REACTIVITY**

For the solvent: Methanol

Flammable. Reacts with Acid halides and anhydrides. Incompatible with strong acids. Incompatible with strong reducing agents. Incompatible with strong oxidizing agents. Decomposition liberates toxic fumes. Hygroscopic. Incompatible with active metals (e.g. Sodium).

#### **SECTION 11 - TOXICOLOGY INFORMATION**

The primary hazards for this solution are predominantly from the solvent.

For the solvent: Methanol

RTECS: PC1400000
Oral Rat or Mouse LD50: 5628 mg/kg
Dermal Rat or Mouse LD50: N/A mg/kg
Rat or Mouse LC50: 64000 ppm/8H

Carcinogenicity

OSHA: No IARC: No NTP: No ACGIH: No A4 NIOSH: No Other: No

For the minor component: Aldrin

The LD50 for the minor component:

Description LD50
Aldrin 38 mg/kg

Carcinogenicity:

OSHA: No IARC: No NTP: No CARC: No ACGIH: No NIOSH: Yes

This chemical is considered to be a CARCINOGEN by the state of California.

#### **SECTION 12 - ECOLOGICAL INFORMATION**

Ecotoxicity: Not Available Environmental Fate: Not Available

## **SECTION 13 - DISPOSAL CONSIDERATIONS**

Dispose in accordance with Federal, State and Local regulations.

#### **SECTION 14 - TRANSPORTATION INFORMATION**

UN Number: UN1230

Class: 3

Packing Group: II

Proper Shipping Name: Methanol

## **SECTION 15 - REGULATORY INFORMATION**

For the solvent: Methanol

European Labeling in Accordance with EC Directives

Catalog Number: S-11049M1 Page 3 of 4

## **Chem Service Inc.**

#### **MATERIAL SAFETY DATA SHEET**

Hazard Symbols: TF

Risk Phrases: -R11: Highly Flammable.

-R23/25: Toxic by inhalation, and if swallowed.

Safety Phrases: -S16: Keep away from sources of ignition - No smoking.

-S2: Keep out of reach of children -S24:. Avoid contact with the skin

-S45: In case of accident or if you feel unwell, seek medical advice immediately

(show label where possible).

-S7: Keep container tightly closed

## **SECTION 16 - OTHER INFORMATION**

The above information is believed to be correct on the date it was last revised and must not be considered all inclusive. The information has been obtained only by a search of available literature and is only a guide for handling the chemicals. OSHA regulations require that if other hazards become evident, an upgraded MSDS must be made available to the employee within three months. RESPONSIBILITY for updates lies with the employer and not with CHEM SERVICE, Inc.

Persons not specifically and properly trained should not handle this chemical or its container. This product is furnished FOR LABORATORY USE ONLY! Our products may NOT BE USED as drugs, cosmetics, agricultural or pesticide products, food additives or as household chemicals.

This Material Safety Data Sheet (MSDS) is intended only for use with Chem Service, Inc. products and should not be relied on for use with materials from any other supplier even if the chemical name(s) on the product are identical! Whenever using an MSDS for a solution or mixture the user should refer to the MSDS for every component of the solution or mixture. Chem Service warrants that this MSDS is based upon the most current information available to Chem Service at the time it was last revised. THIS WARRANTY IS EXCLUSIVE, AND CHEM SERVICE, INC. MAKES NO OTHER WARRANTY, EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE. This MSDS is provided gratis and CHEM SERVICE, INC. SHALL NOT BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR CONTINGENT DAMAGES.

Copyright © 2000-2011 Chem Service, Inc. All rights reserved except that this MSDS may be printed for the use of a customer or prospective customer of Chem Service, Inc provided the entire MSDS is printed. The MSDS may not be placed in any database or otherwise stored or distributed in electronic or any other form.

This product is furnished FOR LABORATORY USE ONLY!

Catalog Number: S-11049M1 Page 4 of 4