

ROQUEFORTINE C

Page: 1

Compilation date: 29/03/2012 Revision date: 25/11/2013

**Revision No:** 2

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: ROQUEFORTINE C

CAS number: 58735-64-1

Product code: BIBR1088

1.2. Relevant identified uses of the substance or mixture and uses advised against

### 1.3. Details of the supplier of the safety data sheet

Company name: Apollo Scientific Ltd Units 3 & 4 Parkway Denton

M34 3SG

UK

Tel: 0161 337 9971

Manchester

Fax: 0161 336 6932

Email: david.tideswell@apolloscientific.co.uk

## 1.4. Emergency telephone number

## Section 2: Hazards identification

## 2.1. Classification of the substance or mixture

Classification under CHIP: T: R23/24/25

Classification under CLP: Acute Tox. 3: H301+311+331

Most important adverse effects: Toxic by inhalation, in contact with skin and if swallowed.

2.2. Label elements

 Label elements under CLP:

 Hazard statements:
 H301+311+331: Toxic if swallowed, in contact with skin or if inhaled.

 Signal words:
 Danger

 Hazard pictograms:
 GHS06: Skull and crossbones



**Precautionary statements:** P280: Wear protective gloves/protective clothing/eye protection/face protection.

ROQUEFORTINE C

Label elements under CHIP:

Hazard symbols: Toxic.



Risk phrases: R23/24/25: Toxic by inhalation, in contact with skin and if swallowed.

2.3. Other hazards

PBT: This substance is not identified as a PBT substance.

## Section 3: Composition/information on ingredients

3.1. Substances

## Chemical identity: ROQUEFORTINE C

Section 4: First aid measures

## 4.1. Description of first aid measures

<b>a</b>		
Skin contact:	Remove all contaminated clothes and footwear immediately unless stuck to skin.	
	Drench the affected skin with running water for 10 minutes or longer if substance is still	
	on skin. Transfer to hospital if there are burns or symptoms of poisoning.	
Eye contact:	Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist	
	examination.	
Ingestion:	Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water	
	to drink immediately. If unconscious, check for breathing and apply artificial respiration if	
	necessary. If unconscious and breathing is OK, place in the recovery position. Transfer	
	to hospital as soon as possible.	
Inhalation:	Remove casualty from exposure ensuring one's own safety whilst doing so. If	
	conscious, ensure the casualty sits or lies down. If unconscious and breathing is OK,	
	place in the recovery position. If unconscious, check for breathing and apply artificial	
	respiration if necessary. If breathing becomes bubbly, have the casualty sit and provide	
	oxygen if available. Transfer to hospital as soon as possible.	
4.2. Most important symptoms and effects, both acute and delayed		
Skin contact:	There may be redness or whiteness of the skin in the area of exposure. Irritation or pain	
Skii contact.		
	may occur at the site of contact. Absorption through the skin may be fatal.	
Eye contact:	There may be severe pain. The eyes may water profusely.	
Ingestion:	There may be soreness and redness of the mouth and throat. There may be vomiting.	

Convulsions may occur. There may be loss of consciousness.

- Inhalation: There may be shortness of breath with a burning sensation in the throat. Absorption through the lungs can occur causing symptoms similar to those of ingestion. Convulsions may occur. There may be loss of consciousness.
- Delayed / immediate effects: Exposure may cause irritation and convulsions. Target organ: nerves. Roquefortine C is

Page: 2

## ROQUEFORTINE C

**Page:** 3

potentially a neurotoxic compound that activates and inhibits detoxification enzymes P-

glycoprotein (P-gp) and cytochrome P450-3A. RTECS: UQ4730500

### 4.3. Indication of any immediate medical attention and special treatment needed

#### Section 5: Fire-fighting measures

## 5.1. Extinguishing media

Extinguishing media: Carbon dioxide, dry chemical powder, foam. Suitable extinguishing media for the

surrounding fire should be used. Use water spray to cool containers.

#### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: Toxic. In combustion emits toxic fumes. Nitrogen oxides (NOx).

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

## Section 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Notify the police and fire brigade immediately. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Do not create dust.

## 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

#### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific

substance. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

## Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is exhaust ventilation of the area.

Avoid the formation or spread of dust in the air. Only use in fume hood.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed. Light Sensitive. Store at

### ROQUEFORTINE C

Page: 4

#### Suitable packaging: Must only be kept in original packaging.

## 7.3. Specific end use(s)

Specific end use(s): No data available.

#### Section 8: Exposure controls/personal protection

#### 8.1. Control parameters

Workplace exposure limits: No data available.

#### 8.2. Exposure controls

Engineering measures:	Ensure there is exhaust ventilation of the area.
Respiratory protection:	Self-contained breathing apparatus must be available in case of emergency. Particle
	filter class P1 (EN143).
Hand protection:	Protective gloves.
Eye protection:	Safety glasses with side-shields. Ensure eye bath is to hand.
Skin protection:	Protective clothing.

#### Section 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

State: Solid

Colour: Off-white

Also soluble in: Ethanol. Methanol. Dimethylsulfoxide. Dimethylformamide

#### 9.2. Other information

Other information: No data available.

## Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

10.4. Conditions to avoid

## Conditions to avoid: Heat. Light.

## 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

## ROQUEFORTINE C

## 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide. Nitrogen oxides

(NOx).

## Section 11: Toxicological information

### 11.1. Information on toxicological effects

### **Toxicity values:**

Route	Species	Test	Value	Units
INTRAPERITONEAL	MUS	LD50	15	mg/kg

## Relevant hazards for substance:

Hazard	Route	Basis
Acute toxicity (ac. tox. 3)	INH DRM ING	Based on test data

### Symptoms / routes of exposure

Skin contact:	There may be redness or whiteness of the skin in the area of exposure. Irritation or pain
	may occur at the site of contact. Absorption through the skin may be fatal.
Eye contact:	There may be severe pain. The eyes may water profusely.
Ingestion:	There may be soreness and redness of the mouth and throat. There may be vomiting.
	Convulsions may occur. There may be loss of consciousness.
Inhalation:	There may be shortness of breath with a burning sensation in the throat. Absorption
	through the lungs can occur causing symptoms similar to those of ingestion.
	Convulsions may occur. There may be loss of consciousness.
Delayed / immediate effects:	Exposure may cause irritation and convulsions. Target organ: nerves. Roquefortine C is
	potentially a neurotoxic compound that activates and inhibits detoxification enzymes P-
	glycoprotein (P-gp) and cytochrome P450-3A. RTECS: UQ4730500

## Section 12: Ecological information

## 12.1. Toxicity

Ecotoxicity values: No data available.

## 12.2. Persistence and degradability

Persistence and degradability: No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: No data available.

## ROQUEFORTINE C

### 12.5. Results of PBT and vPvB assessment

PBT identification: This substance is not identified as a PBT substance.

#### 12.6. Other adverse effects

Other adverse effects: No data available.

### Section 13: Disposal considerations

#### 13.1. Waste treatment methods

 Disposal operations:
 MATERIAL SHOULD BE DISPOSED OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS

 Disposal of packaging:
 Dispose of as special waste in compliance with local and national regulations Observe

all federal, state and local environmental regulations.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## Section 14: Transport information

14.1. UN number

UN number: UN2811

14.2. UN proper shipping name

Shipping name: TOXIC SOLID, ORGANIC, N.O.S.

14.3. Transport hazard class(es)

Transport class: 6.1

14.4. Packing group

Packing group: ||

14.5. Environmental hazards

Environmentally hazardous: No

Marine pollutant: No

14.6. Special precautions for user

Tunnel code: D/E

Transport category: 2

Section 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

**Page:** 6

ROQUEFORTINE C

# Section 16: Other information

# Page: 7

Other information	
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.
	* Data predicted using computational software. Toxtree - Toxic Hazard Estimation by
	decision tree approach. http://ecb.jrc.ec.europa.eu/qsar/qsar-tools/index.php?
	c=TOXTREE
	~ Data predicted using computatioanl software ACD/ToxSuite v 2.95.1 Copyright 1994-
	2009 ACD/labs, Copyright 2001-2009 Pharma Algorithms, Inc, Advanced Chemistry
	Development, Inc (ACD/Labs). http://www.acdlabs.com/products/pc_admet/tox/tox/
Phrases used in s.2 and 3:	H301+311+331: Toxic if swallowed, in contact with skin or if inhaled.
	R23/24/25: Toxic by inhalation, in contact with skin and if swallowed.
Legal disclaimer:	The material is intended for research purposes only and should be handled exclusively
	by those who have been fully trained in safety, laboratory and chemical handling
	procedures. The above information is believed to be correct to the best of our
	knowledge. The above information is believed to be correct to the best of our knowledge
	at the date of its publication, but should not be considered to be all inclusive. It should
	be used only as a guide for safe handling, storage, transportation and disposal. We
	cannot guarantee that the hazards detailed in this document are the only hazards that
	exist for this product. This is not a warranty and Apollo Scientific Ltd shall not be held
	liable for any damage resulting from handling or from contact with the above product.