



MATERIAL SAFETY DATA SHEET

Revision date: 26-Jul-2013

Version: 2.4

Page 1 of 7

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Pfizer Inc
Pfizer Pharmaceuticals Group
235 East 42nd Street
New York, New York 10017
1-212-573-2222

Emergency telephone number:
CHEMTREC (24 hours): 1-800-424-9300
Contact E-Mail: pfizer-MSDS@pfizer.com

Pfizer Ltd
Ramsgate Road
Sandwich, Kent
CT13 9NJ
United Kingdom
+00 44 (0)1304 616161

Emergency telephone number:
International CHEMTREC (24 hours): +1-703-527-3887

Material Name: Cerebyx® (Fosphenytoin Sodium) Injection

Trade Name:	Cerebyx®
Chemical Family:	Mixture
Intended Use:	Pharmaceutical product used as anticonvulsant

2. HAZARDS IDENTIFICATION

Appearance: Colorless/pale yellow, clear solution
Signal Word: WARNING

Statement of Hazard: Antiepileptic drug: may cause nervous system effects
Possible carcinogen
Possible risk of harm to the unborn child

Additional Hazard Information:
Short Term: Antiepileptic drug: may cause nervous system effects. Accidental ingestion may cause effects similar to those seen in clinical use.

Long Term: Increased frequencies of major malformations, minor anomalies, growth abnormalities, mental deficiency, and malignancies have been reported among children born to women who took phenytoin during pregnancy.

Known Clinical Effects: The most common adverse effects observed with the clinical use of this drug were rapid eye twitching, dizziness, pruritus, numbness and tingling of the skin, headache, somnolence, and ataxia. Sensory disturbances (severe burning, itching, and/or numbness and tingling of the skin) have been reported following IV administration of fosphenytoin. Other, more serious effects seen with IV use of this drug, particularly when it is administered rapidly, are cardiovascular collapse, central nervous system depression, and/or hypotension.

EU Indication of danger: Carcinogenic: Category 3
Toxic to Reproduction: Category 3

EU Hazard Symbols:
Xn



EU Risk Phrases:

MATERIAL SAFETY DATA SHEET

Material Name: Cerebyx® (Fosphenytoin Sodium) Injection
Revision date: 26-Jul-2013

Page 2 of 7
Version: 2.4

2. HAZARDS IDENTIFICATION

Australian Hazard Classification (NOHSC):

R40 - Limited evidence of a carcinogenic effect.
R63 - Possible risk of harm to the unborn child.
Hazardous Substance. Non-Dangerous Goods.

Note: This document has been prepared in accordance with standards for workplace safety, which require the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	%
Fosphenytoin sodium	92134-98-0	Not Listed	Repr.Cat.3;R63 Carc.Cat.3;R40	5

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	%
Tromethamine	77-86-1	201-064-4	Not Listed	*
Water for injection	7732-18-5	231-791-2	Not Listed	*

Additional Information: * Proprietary
Ingredient(s) indicated as hazardous have been assessed under standards for workplace safety.

For the full text of the R phrases mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Eye Contact: Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention immediately.

Skin Contact: Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek medical attention.

Ingestion: Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not induce vomiting unless directed by medical personnel. Seek medical attention immediately.

Inhalation: Remove to fresh air and keep patient at rest. Seek medical attention immediately.

Symptoms and Effects of Exposure: For information on potential signs and symptoms of exposure, See Section 2 - Hazards Identification and/or Section 11 - Toxicological Information.

5. FIRE FIGHTING MEASURES

Extinguishing Media: Use carbon dioxide, dry chemical, or water spray.

Hazardous Combustion Products: None known or expected.

Fire Fighting Procedures: During all fire fighting activities, wear appropriate protective equipment, including self-contained breathing apparatus.

MATERIAL SAFETY DATA SHEET

Material Name: Cerebyx® (Fosphenytoin Sodium) Injection
Revision date: 26-Jul-2013

Page 3 of 7
Version: 2.4

Fire / Explosion Hazards: Fine particles (such as dust and mists) may fuel fires/explosions.

6. ACCIDENTAL RELEASE MEASURES

Health and Safety Precautions: Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

Measures for Cleaning / Collecting: Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Clean spill area thoroughly.

Measures for Environmental Protections: Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Additional Consideration for Large Spills: Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.

7. HANDLING AND STORAGE

General Handling: Avoid breathing vapor or mist. Avoid contact with eyes, skin and clothing. When handling, use appropriate personal protective equipment (see Section 8). Wash hands and any exposed skin after removal of PPE. Releases to the environment should be avoided. Review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure or environmental releases. Potential points of process emissions of this material to the atmosphere should be controlled with dust collectors, HEPA filtration systems or other equivalent controls.

Storage Conditions: Store as directed by product packaging.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Fosphenytoin sodium
Pfizer OEL TWA-8 Hr:

600µg/m³

Analytical Method: Analytical method available for fosphenytoin sodium. Contact Pfizer Inc for further information.
Engineering Controls: Engineering controls should be used as the primary means to control exposures. General room ventilation is adequate unless the process generates dust, mist or fumes. Keep airborne contamination levels below the exposure limits listed above in this section.

Environmental Exposure Controls: Refer to specific Member State legislation for requirements under Community environmental legislation.

Personal Protective Equipment: Refer to applicable national standards and regulations in the selection and use of personal protective equipment (PPE).

Hands: Impervious gloves are recommended if skin contact with drug product is possible and for bulk processing operations.

Eyes: Wear safety glasses or goggles if eye contact is possible.

Skin: Impervious protective clothing is recommended if skin contact with drug product is possible and for bulk processing operations.

Respiratory protection: If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures to below the OEL.

MATERIAL SAFETY DATA SHEET

Material Name: Cerebyx® (Fosphenytoin Sodium) Injection
Revision date: 26-Jul-2013

Page 4 of 7
Version: 2.4

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Solution	Color:	Colorless to pale yellow
Molecular Formula:	Mixture	Molecular Weight:	Mixture

Solubility:	Soluble: Water
pH:	8.6-9.0
Boiling Point (°C):	100

Polymerization: No data available

10. STABILITY AND REACTIVITY

Chemical Stability:	Stable under normal conditions of use.
Conditions to Avoid:	Fine particles (such as dust and mists) may fuel fires/explosions.
Incompatible Materials:	As a precautionary measure, keep away from strong oxidizers

11. TOXICOLOGICAL INFORMATION

General Information: Fosphenytoin sodium is a prodrug of phenytoin and is converted to phenytoin inside the body. The effects seen with fosphenytoin are similar to those of phenytoin.

Acute Toxicity: (Species, Route, End Point, Dose)

Tromethamine

Rat Oral LD50 5900 mg/kg

Fosphenytoin sodium

Mouse IV LD50 234 mg/kg

Rat IV LD50 363 mg/kg

Rat IV (bolus) LD50 319.2 mg/kg

Phenytoin

Mouse Oral LD50 150 mg/kg

Rat Oral LD50 1635 mg/kg

Rat Intravenous LD 50 96 mg/kg

Rat IM LD 50 >337 mg/kg

Rabbit Oral LD 50 >3000 mg/kg

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Fosphenytoin sodium

4 Week(s) Rat Intravenous < 30 mg/kg/day NOAEL Central nervous system

13 Week(s) Rat Intramuscular 30 mg/kg/day NOAEL Liver

4 Week(s) Dog Intravenous < 15 mg/kg/day NOAEL Central Nervous System

13 Week(s) Dog Intramuscular 15 mg/kg/day NOAEL Central Nervous System, Liver

Phenytoin

2 Week(s) Rat Oral <3125 ppm/day NOEL Bone marrow

2 Week(s) Mouse Oral <125 ppm/day NOEL Central Nervous System

13 Week(s) Rat Oral 300 ppm/day NOEL None identified

13 Week(s) Mouse Oral 150 ppm/day NOEL Blood forming organs, Gastrointestinal system, Liver

MATERIAL SAFETY DATA SHEET

Material Name: Cerebyx® (Fosphenytoin Sodium) Injection
Revision date: 26-Jul-2013

Page 5 of 7
Version: 2.4

11. TOXICOLOGICAL INFORMATION

Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

Fosphenytoin sodium

Reproductive & Fertility	Rat	Intramuscular	25 mg/kg/day	NOEL	Maternal toxicity, Developmental toxicity, Teratogenic
Embryo / Fetal Development	Rat	Intravenous	50 mg/kg/day	NOEL	Maternal Toxicity
Embryo / Fetal Development	Rabbit	Intravenous	50 mg/kg/day	NOEL	Maternal Toxicity

Phenytoin

Embryo / Fetal Development	Mouse	Oral	75 mg/kg/day	NOEL	Maternal toxicity, Fetotoxicity, Teratogenic
Embryo / Fetal Development	Mouse	Oral	45 mg/kg/day	NOEL	Teratogenic
Embryo / Fetal Development	Rabbit	Oral	50 mg/kg/day	NOEL	Fetotoxicity, Teratogenic
Embryo / Fetal Development	Monkey	Oral	10 mg/kg/day	NOEL	Fetotoxicity, Teratogenic
Embryo / Fetal Development	Mouse	Subcutaneous	<12.5 mg/kg/day	NOEL	Maternal Toxicity, Fetotoxicity, Teratogenic

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Fosphenytoin sodium

Bacterial Mutagenicity (Ames)	<i>Salmonella</i>	Negative
<i>In Vitro</i> Mammalian Cell Mutagenicity	Hamster Lung Cells	Negative
<i>In Vitro</i> Chromosome Aberration	Hamster Lung Cells	Negative
<i>In Vivo</i> Micronucleus Chromosome Aberration	Mouse Bone Marrow	Negative

Phenytoin

Bacterial Mutagenicity (Ames)	<i>Salmonella</i>	Negative
<i>In Vitro</i> Chromosome Aberration	Chinese Hamster Ovary (CHO) cells	Negative
<i>In Vitro</i> Chromosome Aberration	Human Lymphocytes	Negative
<i>In Vivo</i> Sister Chromatid Exchange	Human Lymphocytes	Positive
<i>In Vivo</i> Mitotic Spindle Assay	Human Lymphocytes	Negative

Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Phenytoin

2 Year(s)	Male Rat	Oral, in feed	50 mg/kg/day	NOEL	Benign neoplasms, Skin
2 Year(s)	Mouse	Oral, in feed	25 mg/kg/day	NOEL	Benign tumors, Liver
2 Year(s)	Female Mouse	Oral, in feed	60 ppm	LOAEL	Liver, neoplasms
2 Year(s)	Female Rat	Oral, in feed	240 ppm	NOAEL	Not carcinogenic

Carcinogen Status: See below

Phenytoin

IARC:	Group 2B (Possibly Carcinogenic to Humans)
NTP:	Reasonably Anticipated To Be A Human Carcinogen
OSHA:	Listed

12. ECOLOGICAL INFORMATION

Environmental Overview: The environmental characteristics of this material have not been fully evaluated. Releases to the environment should be avoided.

Aquatic Toxicity: (Species, Method, End Point, Duration, Result)

MATERIAL SAFETY DATA SHEET

Material Name: Cerebyx® (Fosphenytoin Sodium) Injection
Revision date: 26-Jul-2013

Page 6 of 7
Version: 2.4

12. ECOLOGICAL INFORMATION

Phenytoin

<i>Hyallela azteca</i> (Freshwater Amphipod)	OPPTS	LC50	96 Hours	18 mg/L
<i>Daphnia magna</i> (Water Flea)	TAD	EC50	48 Hours	>39 mg/L
<i>Pimephales promelas</i> (Fathead Minnow)	OPPTS	LC50	96 Hours	>23 mg/L

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods:

Dispose of waste in accordance with all applicable laws and regulations. Member State specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater.

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

15. REGULATORY INFORMATION

EU Symbol: Xn
EU Indication of danger: Carcinogenic: Category 3
Toxic to Reproduction: Category 3

EU Risk Phrases:
R40 - Limited evidence of a carcinogenic effect.
R63 - Possible risk of harm to the unborn child.

EU Safety Phrases:
S22 - Do not breathe dust.
S36/37 - Wear suitable protective clothing and gloves.
S53 - Avoid exposure - obtain special instructions before use.

OSHA Label:
WARNING
Antiepileptic drug: may cause nervous system effects
Possible carcinogen
Possible risk of harm to the unborn child

Canada - WHMIS: Classifications

MATERIAL SAFETY DATA SHEET

Material Name: Cerebyx® (Fosphenytoin Sodium) Injection
Revision date: 26-Jul-2013

Page 7 of 7
Version: 2.4

15. REGULATORY INFORMATION

WHMIS hazard class:

Class D, Division 2, Subdivision A



Fosphenytoin sodium

California Proposition 65 Not Listed

Tromethamine

California Proposition 65 Not Listed
Inventory - United States TSCA - Sect. 8(b) Present
Australia (AICS): Present
Standard for the Uniform Scheduling
for Drugs and Poisons: Schedule 4
EU EINECS/ELINCS List 201-064-4

Water for injection

California Proposition 65 Not Listed
Inventory - United States TSCA - Sect. 8(b) Present
Australia (AICS): Present
REACH - Annex IV - Exemptions from the
obligations of Register: Present
EU EINECS/ELINCS List 231-791-2

16. OTHER INFORMATION

Text of R phrases mentioned in Section 3

R40 - Limited evidence of a carcinogenic effect

R63 - Possible risk of harm to the unborn child.

Data Sources: Pfizer proprietary drug development information.

Reasons for Revision: Updated Section 10 - Stability and Reactivity.

Prepared by: Product Stewardship Hazard Communication
Pfizer Global Environment, Health, and Safety Operations

Pfizer Inc believes that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet